





2014-2-26

Magic stage - Outdoor MSO06 SMD full color LED display

Article I Specification

New Module	Resolution :	25600	Pixel pitch:	6.25mm
New Cabinet	Cabinet Dimensions (w×h):	500mm	5.8kg/cabinet	Material: Polymer nanotechnology
	×500mm×78mm			



Yes Tech Project




1. Customizable lighting source & cabinet design makes perfection for you
2. Humanized control system makes convenience for you
3. Easy installation in different way as per your needs
4. Factory technical support guaranteed! Just inform us about your general idea, leave the rest of the project for us. You'll get a satisfied solution!




Curved screen of P6 outdoor shining in Meixi Lake ,Changsha



Other fantastic projects of Magic Stage indoor series,PH6.25 outdoor can shape the same as above

Screen	Supply voltage	AC 176-260,50Hz or 60Hz	
	Average power consumption	80 W/CABINET(ave)	
	Brightness	≥6000cd/sqm	
	Brightness controller	Manual (Auto optional)	
	Driving method	1/ 5 scan	
	View angle(H/V)	140 °/120 °	
	Gray scale	Recommended single color 4096 grade (adjustable under software 2BIT to 16BIT)	
	Refresh frequency	960hz	
	Operating environment temperature	-20~50 °C	
	Operating environment humidity	10% ~90%RH	
	Average no failure time	>10,000 hours	
	Life-span	>100,000 hours	
	Out of Control Rate	<0.00003	
	Distinguishing feature	Quite light and thin	
		Hanging screen to 40m in max	
	Time- saving and fast install		
	Inner arc or outer arc are both available		
	Lengthen limitless		
	Cabinet from any position can replaced with 50 seconds, fast maintain		
intelligently design: cabinet interior wireless processing, adopt the threadiness Silver and the heat-conducting Silicon			

Control System	Display content	Text, Graphics, Logo, Animation, live video, movie, etc	
	Communication distance	UTP transmission distance is 100m, the maximum is 130m, (multimode fiber 500m, single mode fiber 150km is optional)	
	Connection method	Synchronized with Computer; TV, DVD player, VCD player, VCR, etc (need video processor)	
	Certification	CE, ISO, CCC, TUV	

Article II Quotation for hanging installation

1. Screen dimension

Cabinet size	Cabinet No.	Screen dimension
500mm × 500mm	6cabinets (w)X4cabinets(h)= 24 pcs	3m (w) X2m (h) =6 m²

4.

Item	MOQ			Remark
Magic stage outdoor P6.25 SMD	24			
Nova Sending card	1			Each card controls 1280*1024

Nova Receiving card	24			Each cabinet with one receiving card
Connectors for right and left cabinets	72			
Connectors for up and down cabinets	48			
Hanging bar(500mm)	6			
820H video processor	1			1 case packs 10 cabinets, the rest packs accessories.
Wooden case	3			

GENERAL Remarks:

- 1) [All quotes are always on FOB Changsha/Shenzhen](#). It is including spare parts, but not including the fee of site foundation and local installation, ornament etc.
- 2) The PC and frame structure should be prepared by buyer party.
- 3) **This is including:**

Hardware	LED cabinet; Control system
Free Replacement	spare parts(including LEDs, power supply; receive card, cables, tools, and etc)
Technical Material	Installation Guide in English version, CD with backup parameter set up
Service	
1) Warranty year 1 year of free maintenance (means free replace or maintain parts) since sending the cargo from YES TECH.	
2) Training course	

We will supply you English version user's manual and installation instruction before the delivery.

Before shipment, you are welcomed to inspect the product in our factory and we will provide a training course on installation, maintain and how to use the software.

3) Technical support

We will provide you free technical support through e-mail, fax or phone call. Every time when there are some problems for the LED screen, if your engineer can not solve it, please contact us asap and send us pictures and descriptions. Then we will do our best to solve it for you asap.

Article III Packing Way

The LED cabinets will be packed by wooden case

Article IV Delivery Date

It will cost 25 days for the production and a series of strict tests in our factory on receiving the deposit.

Article V Payment Term

100% of contract value should be prepaid by T/T when placing order.